ASSIGNED
Serial Nº 22327

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	NOV 1 6 1964		
Returned to applicant for correction		mq , 1751	
Corrected application filed			
Map filed	•	•	
		•	
The applicant ADI	ELINE SUPP		***********************
ofWELLS	, County of	ELKO	
State ofNEVADA	, hereby make s. applica	tion for permission to appro	priate the public
waters of the State of Nevada, as hereinaft	er stated. (If applicant is a co	orporation, give date and pla	ace of incorpora-
tion; if a copartnership or association, give	names of members.)		,
1. The source of the proposed appropriate	indergro	und Well No. 2	•
	Na	me of stream, lake or other source.	
	1 0		1.6
2. The amount of water applied for is			
(a) If stored in reservoir give number	· .		
3. The water to be used for	Irrigation, power, mining, ma	on & Domestic, or other use.	··
4. If use is for:			·
(a) Irrigation (state number of acres to	o be irrigated) 25.0 acr	es	·
(b) Stockwater (state number and kind	ds of animals to be watered)	<u> </u>	
(c) Other use (describe fully under "N	Vo. 11. Remarks")		
(d) Power:			
(1) Horsepower developed			
(2) Point of return of water to stream			
5. The water is to be diverted from its so	ource at the following point:	NW½ SE½ of Section 9	. T37N.
R62E: M. D. R. &M. at a point Describe as being within a 40-acre subdivision		-	
Describe as being within a 40-acre subdivision bears N 51° 00' E 1821.99			
it should be stated. 6. Place of use		•	
U. Trace of use	Describe by legal subdivision, if on un	surveyed land it should be so stated.	•
***************************************		·	
7. Use will begin about January 1 Month	and end aboutDec	ember 31, of each	year.
8. Description of proposed works. (Unde	-		
specifications of your diversion or stor	age works.) Drilled w	ell, pump and portab	1e
sprinkler system. State manner in which water is to be diverted	d. whether by dam or other works, whe	ther through pipes, difches, flumes, or	other conduits.
***************************************		700077707777777777777777777777777777777	

10	Estimated cost of works \$5,000
10.	Estimated time required to construct works 3. years
11.	Remarks

•	
·	
Арр	licant Adeline Supp
	By <u>s/Mark Chilton</u> Mark Chilton Agent
Com	pared awb/hs hs/ns
٠,	
	APPROVAL OF STATE ENGINEER
•	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the
gra obt	wing limitations and conditions: This permit is issued subject to all existing has on the source. It is understood that the amount of water hereing the nted is only a temporary allowance and that the final water right ained under this permit will be dependent upon the amount of water ually placed to beneficial use. It is also understood that this
iq	ht must allow for a reasonable lowering of the static water level
ţ.	permittee's well due to any other ground water development in the
re	a. A substantial weir or other type of measuring device must be
ns	talled and measurements of water use kept. The well shall be
	ipped with a 2-inch opening and an air line for measuring depth.
	water. If well is flowing, a valve must be installed and maintained
	prevent waste. The State retains the right to regulate the use of
	tuntor boroin granted at any and all times
	water herein granted at any and all times.
	water herein granted at any and all times.
he	· · · · · · · · · · · · · · · · · · ·
he The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
he The not t	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed
The not t	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed
he The not t ear	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed 0.625 cubic feet per second. but not to exceed a rly duty of 4.0 acre-feet per acre of land irrigated from any and/or sources. Talk construction work shall begin on or before August 25, 1966
The not the an Actu	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed
The not the Actu	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 0.625 cubic feet per second; but not to exceed a cubic feet per second a cubic feet per sec
The not the area of the Processing Processin	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and o exceed 0.625 cubic feet per second. but not to exceed a rly duty of 4.0 acre-feet per acre of land irrigated from any and/o sources. Talk construction work shall begin on or before August 25, 1966 The work of the filed before September 25, 1967 The of the filed before September 25, 1967 The of the filed before September 25, 1967 The of the filed before September 25, 1967
The not the earth of the Process Work Process App	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed. O . 625 cubic feet per second. but not to exceed a crly duty of 4.0 acre-feet per acre of land irrigated from any and/or sources. In all construction work shall begin on or before. August 25, 1966 of commencement of work shall be filed before. September 25, 1967 of of completion of work shall be filed before. September 25, 1967 of completion of work shall be filed before. September 25, 1967 of completion of work shall be filed before. September 25, 1967 of completion of work shall be filed before. August 25, 1968 of completion of water to beneficial use shall be made on or before. August 25, 1968
The not the earth of the Process Work Process App	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and so exceed. O . 625 cubic feet per second. but not to exceed a crly duty of 4.0 acre-feet per acre of land irrigated from any and/or sources. In all construction work shall begin on or before. August 25, 1966 It must be prosecuted with reasonable diligence and be completed on or before. August 25, 1967 Of of completion of work shall be filed before. September 25, 1967 September 25, 1967 September 25, 1967
The not the analysis of the Actual Process App	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 0.625 cubic feet per second; but not to exceed a crly duty of 4.0 acre-feet per acre of land irrigated from any and/or sources. Talk construction work shall begin on or before August 25, 1966 for commencement of work shall be filed before. September 25, 1967 of completion of work shall be filed before. September 25, 1967 of completion of work shall be filed before. September 25, 1968 of of the application of water to beneficial use shall be filed on or before. September 25, 1968 of of the application of water to beneficial use shall be filed on or before. September 25, 1968
The not to ear III Actor Process App Process Map Comprose Process Proc	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed. O . 625
The not to veal all Actor Process App Process Map Process Compress Compress Control Co	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 0.625 cubic feet per second. But not to exceed a cally duty of 4.0 acre-feet per acre of land irrigated from any and/or sources. In all construction work shall begin on or before August 25, 1966 of of commencement of work shall be filed before September 25, 1967 of of completion of work shall be filed before September 25, 1967 of of completion of water to beneficial use shall be made on or before August 25, 1968 of of the application of water to beneficial use shall be filed on or before September 25, 1968 of in support of proof of beneficial use shall be filed on or before September 25, 1968 mencement of work filed Oct (O, 1966 of of beneficial use filed on or before September 25, 1968 mencement of work filed Oct (O, 1966 of of beneficial use filed on or before September 25, 1968 mencement of work filed Oct (O, 1966 of beneficial use filed of February 1966 if of beneficial use filed of February 1966
The not to veal all Actor Process App Process Map Process Compress Compress Control Co	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 0.625 cubic feet per second. But not to exceed a cally duty of 4.0 acre-feet per acre of land irrigated from any and/or sources. In all construction work shall begin on or before August 25, 1966 of of commencement of work shall be filed before September 25, 1966 of of completion of work shall be filed before September 25, 1967 of of completion of work shall be filed before August 25, 1967 of of completion of work shall be filed before September 25, 1967 of of the application of water to beneficial use shall be filed on or before August 25, 1968 of of the application of water to beneficial use shall be filed on or before September 25, 1968 of of the application of water to beneficial use shall be filed on or before September 25, 1968 of of the application of water to beneficial use shall be filed on or before September 25, 1968 of of the application of work filed Oct 10, 1966 of of beneficial use filed Oct 10, 1966 of of beneficial use filed Oct 10, 1966 of February 1966